# URBAN TRANSPORT XVIII

Urban Transport and the Environment in the 21<sup>st</sup> Century



Editors J.W.S. Longhurst & C.A. Brebbia

## **Urban Transport XVIII**

### Urban Transport and the Environment in the 21st Century

## **WIT***PRESS*

WIT Press publishes leading books in Science and Technology. Visit our website for the current list of titles. www.witpress.com

## WITeLibrary

Home of the Transactions of the Wessex Institute. Papers presented at Urban Transport 2012 are archived in the WIT eLibrary in volume 128 of WIT Transactions on the Built Environment (ISSN 1743-3509). The WIT eLibrary provides the international scientific community with immediate and permanent access to individual papers presented at WIT conferences. Visit the WIT eLibrary at www.witpress.com.

## EIGHTEENTH INTERNATIONAL CONFERENCE ON URBAN TRANSPORT AND THE ENVIRONMENT

#### Urban Transport XVIII

**CONFERENCE CHAIRMEN** 

**J.W.S. Longhurst** University of the West of England, UK

**C.A. Brebbia** Wessex Institute of Technology, UK

#### **INTERNATIONAL SCIENTIFIC ADVISORY COMMITTEE**

S. Amirkhanian S. Basbas C. Borrego A. Daadbin L. D'Acierno M. Lambrinos J. Lumbreras B. Montella A. Pratelli J. Rosinski F. Russo M. Taniguchi

#### Organised by

Wessex Institute of Technology, UK

#### Sponsored by

WIT Transactions on the Built Environment International Journal of Sustainable Development and Planning

#### WIT Transactions

#### **Transactions Editor**

**Carlos Brebbia** 

Wessex Institute of Technology Ashurst Lodge, Ashurst Southampton SO40 7AA, UK

#### **Editorial Board**

B Abersek University of Maribor, Slovenia Y N Abousleiman University of Oklahoma, USA PLAguilar University of Extremadura, Spain K S Al Jabri Sultan Qaboos University, Oman E Alarcon Universidad Politecnica de Madrid. Spain A Aldama IMTA, Mexico C Alessandri Universita di Ferrara, Italy D Almorza Gomar University of Cadiz, Spain B Alzahabi Kettering University, USA JAC Ambrosio IDMEC, Portugal A M Amer Cairo University, Egypt S A Anagnostopoulos University of Patras, Greece M Andretta Montecatini, Italy E Angelino A.R.P.A. Lombardia, Italy H Antes Technische Universitat Braunschweig, Germany M A Atherton South Bank University, UK A G Atkins University of Reading, UK **D** Aubry Ecole Centrale de Paris, France J Augutis Vytautas Magnus University, Lithuania H Azegami Toyohashi University of Technology, Japan A F M Azevedo University of Porto, Portugal J Baish Bucknell University, USA J M Baldasano Universitat Politecnica de Catalunya, Spain J G Bartzis Institute of Nuclear Technology, Greece S Basbas Aristotle University of Thessaloniki, Greece A Bejan Duke University, USA M P Bekakos Democritus University of Thrace, Greece

G Belingardi Politecnico di Torino, Italy
<b>R Belmans</b> Katholieke Universiteit Leuven, Belgium
<b>C D Bertram</b> The University of New South Wales, Australia
D E Beskos University of Patras, Greece
S K Bhattacharyya Indian Institute of Technology, India
E Blums Latvian Academy of Sciences, Latvia
J Boarder Cartref Consulting Systems, UK
<b>B Bobee</b> Institut National de la Recherche Scientifique, Canada
H Boileau ESIGEC, France
J J Bommer Imperial College London, UK
M Bonnet Ecole Polytechnique, France
C A Borrego University of Aveiro, Portugal
A R Bretones University of Granada, Spain
J A Bryant University of Exeter, UK
F-G Buchholz Universitat Gesanthochschule Paderborn, Germany
M B Bush The University of Western Australia, Australia
F Butera Politecnico di Milano, Italy
W Cantwell Liverpool University, UK
D J Cartwright Bucknell University, USA
P G Carydis National Technical University of Athens, Greece
J J Casares Long Universidad de Santiago de Compostela, Spain
M A Celia Princeton University, USA
A Chakrabarti Indian Institute of Science, India
J-T Chen National Taiwan Ocean University, Taiwan
A H-D Cheng University of Mississippi, USA
J Chilton University of Lincoln, UK

- C-L Chiu University of Pittsburgh, USA
- H Choi Kangnung National University, Korea
- A Cieslak Technical University of Lodz, Poland
- S Clement Transport System Centre, Australia
- M W Collins Brunel University, UK
- J J Connor Massachusetts Institute of Technology, USA
- M C Constantinou State University of New York at Buffalo, USA
- D E Cormack University of Toronto, Canada
- M Costantino Royal Bank of Scotland, UK
- D F Cutler Royal Botanic Gardens, UK
- W Czyczula Krakow University of Technology, Poland
- M da Conceicao Cunha University of Coimbra, Portugal
- L Dávid Károly Róbert College, Hungary
- A Davies University of Hertfordshire, UK
- M Davis Temple University, USA
- A B de Almeida Instituto Superior Tecnico, Portugal
- E R de Arantes e Oliveira Instituto Superior Tecnico, Portugal
- L De Biase University of Milan, Italy
- **R de Borst** Delft University of Technology, Netherlands
- G De Mey University of Ghent, Belgium
- A De Montis Universita di Cagliari, Italy
- A De Naeyer Universiteit Ghent, Belgium
- W P De Wilde Vrije Universiteit Brussel, Belgium
- **D De Wrachien** State University of Milan, Italy
- L Debnath University of Texas-Pan American, USA
- G Degrande Katholieke Universiteit Leuven, Belgium
- E del Giudice University of Milan, Italy
- S del Giudice University of Udine, Italy
- G Deplano Universita di Cagliari, Italy
- I Doltsinis University of Stuttgart, Germany
- M Domaszewski Universite de Technologie de Belfort-Montbeliard, France
- J Dominguez University of Seville, Spain

- K Dorow Pacific Northwest National Laboratory, USA
- W Dover University College London, UK
- C Dowlen South Bank University, UK
- J P du Plessis University of Stellenbosch, South Africa
- R Duffell University of Hertfordshire, UK
- N A Dumont PUC-Rio, Brazil
- A Ebel University of Cologne, Germany
- E E Edoutos Democritus University of Thrace, Greece
- G K Egan Monash University, Australia
- K M Elawadly Alexandria University, Egypt
- K-H Elmer Universitat Hannover, Germany
- D Elms University of Canterbury, New Zealand
- M E M El-Sayed Kettering University, USA
- D M Elsom Oxford Brookes University, UK
- F Erdogan Lehigh University, USA
- **D J Evans** Nottingham Trent University, UK
- J W Everett Rowan University, USA
- M Faghri University of Rhode Island, USA
- R A Falconer Cardiff University, UK
- M N Fardis University of Patras, Greece
- P Fedelinski Silesian Technical University, Poland
- H J S Fernando Arizona State University, USA
- S Finger Carnegie Mellon University, USA
- E M M Fonseca Instituto Politécnico de Bragança, Portugal
- J I Frankel University of Tennessee, USA
- D M Fraser University of Cape Town, South Africa
- M J Fritzler University of Calgary, Canada
- T Futagami Hiroshima Institute of Technology, Japan
- U Gabbert Otto-von-Guericke Universitat Magdeburg, Germany
- G Gambolati Universita di Padova, Italy
- C J Gantes National Technical University of Athens, Greece
- L Gaul Universitat Stuttgart, Germany
- A Genco University of Palermo, Italy
- N Georgantzis Universitat Jaume I, Spain
- P Giudici Universita di Pavia, Italy
- L M C Godinho University of Coimbra, Portugal

- F Gomez Universidad Politecnica de Valencia, Spain
- **R Gomez Martin** University of Granada, Spain
- D Goulias University of Maryland, USA

K G Goulias Pennsylvania State University, USA

F Grandori Politecnico di Milano, Italy

W E Grant Texas A & M University, USA

- S Grilli University of Rhode Island, USA
- R H J Grimshaw Loughborough University, UK
- D Gross Technische Hochschule Darmstadt, Germany
- R Grundmann Technische Universitat Dresden, Germany
- A Gualtierotti IDHEAP, Switzerland
- O T Gudmestad University of Stavanger, Norway
- R C Gupta National University of Singapore, Singapore
- J M Hale University of Newcastle, UK

K Hameyer Katholieke Universiteit Leuven, Belgium

- C Hanke Danish Technical University, Denmark
- K Hayami University of Toyko, Japan
- Y Hayashi Nagoya University, Japan
- L Haydock Newage International Limited, UK
- A H Hendrickx Free University of Brussels, Belgium
- C Herman John Hopkins University, USA
- I Hideaki Nagoya University, Japan
- D A Hills University of Oxford, UK
- W F Huebner Southwest Research Institute, USA
- JAC Humphrey Bucknell University, USA
- M Y Hussaini Florida State University, USA
- W Hutchinson Edith Cowan University, Australia
- T H Hyde University of Nottingham, UK
- M Iguchi Science University of Tokyo, Japan
- D B Ingham University of Leeds, UK

L Int Panis VITO Expertisecentrum IMS, Belgium

- N Ishikawa National Defence Academy, Japan
- J Jaafar UiTm, Malaysia
- W Jager Technical University of Dresden, Germany

Y Jaluria Rutgers University, USA

C M Jefferson University of the West of England, UK

- M K Jha Morgan State University, USA
- P R Johnston Griffith University, Australia
- D R H Jones University of Cambridge, UK
- N Jones University of Liverpool, UK
- N Jovanovic CSIR, South Africa
- D Kaliampakos National Technical University of Athens, Greece
- N Kamiya Nagoya University, Japan
- D L Karabalis University of Patras, Greece
- A Karageorghis University of Cyprus
- M Karlsson Linkoping University, Sweden
- T Katayama Doshisha University, Japan
- K L Katsifarakis Aristotle University of Thessaloniki, Greece
- J T Katsikadelis National Technical University of Athens, Greece
- E Kausel Massachusetts Institute of Technology, USA
- H Kawashima The University of Tokyo, Japan
- **B A Kazimee** Washington State University, USA
- S Kim University of Wisconsin-Madison, USA
- D Kirkland Nicholas Grimshaw & Partners Ltd, UK
- E Kita Nagoya University, Japan
- A S Kobayashi University of Washington, USA
- T Kobayashi University of Tokyo, Japan
- D Koga Saga University, Japan
- S Kotake University of Tokyo, Japan
- A N Kounadis National Technical University of Athens, Greece
- W B Kratzig Ruhr Universitat Bochum, Germany
- T Krauthammer Penn State University, USA
- C-H Lai University of Greenwich, UK
- M Langseth Norwegian University of Science and Technology, Norway
- **B S Larsen** Technical University of Denmark, Denmark
- F Lattarulo Politecnico di Bari, Italy
- A Lebedev Moscow State University, Russia
- L J Leon University of Montreal, Canada
- D Lesnic University of Leeds, UK
- D Lewis Mississippi State University, USA
- S lghobashi University of California Irvine, USA

- K-C Lin University of New Brunswick, Canada
- A A Liolios Democritus University of Thrace, Greece
- S Lomov Katholieke Universiteit Leuven, Belgium
- J W S Longhurst University of the West of England, UK
- G Loo The University of Auckland, New Zealand
- J Lourenco Universidade do Minho, Portugal
- J E Luco University of California at San Diego, USA
- H Lui State Seismological Bureau Harbin, China
- C J Lumsden University of Toronto, Canada
- L Lundqvist Division of Transport and Location Analysis, Sweden
- T Lyons Murdoch University, Australia
- Y-W Mai University of Sydney, Australia
- M Majowiecki University of Bologna, Italy
- D Malerba Università degli Studi di Bari, Italy
- G Manara University of Pisa, Italy
- S Mambretti Politecnico di Milano, Italy
- B N Mandal Indian Statistical Institute, India
- Ü Mander University of Tartu, Estonia
- H A Mang Technische Universitat Wien, Austria
- G D Manolis Aristotle University of Thessaloniki, Greece
- W J Mansur COPPE/UFRJ, Brazil
- N Marchettini University of Siena, Italy
- J D M Marsh Griffith University, Australia
- J F Martin-Duque Universidad Complutense, Spain
- T Matsui Nagoya University, Japan
- G Mattrisch DaimlerChrysler AG, Germany
- F M Mazzolani University of Naples "Federico II", Italy
- K McManis University of New Orleans, USA
- A C Mendes Universidade de Beira Interior, Portugal
- **R A Meric** Research Institute for Basic Sciences, Turkey
- J Mikielewicz Polish Academy of Sciences, Poland
- N Milic-Frayling Microsoft Research Ltd, UK
- **R A W Mines** University of Liverpool, UK
- C A Mitchell University of Sydney, Australia
- K Miura Kajima Corporation, Japan
- A Miyamoto Yamaguchi University, Japan

- T Miyoshi Kobe University, Japan
- G Molinari University of Genoa, Italy
- T B Moodie University of Alberta, Canada
- **D B Murray** Trinity College Dublin, Ireland
- G Nakhaeizadeh DaimlerChrysler AG,
- Germany **M B Neace** Mercer University, USA
- **D** Necsulescu University of Ottawa, Canada
- F Neumann University of Vienna, Austria
- S-I Nishida Saga University, Japan
- H Nisitani Kyushu Sangyo University, Japan
- B Notaros University of Massachusetts, USA
- P O'Donoghue University College Dublin, Ireland
- R O O'Neill Oak Ridge National Laboratory, USA
- M Ohkusu Kyushu University, Japan
- G Oliveto Universitá di Catania, Italy
- R Olsen Camp Dresser & McKee Inc., USA
- E Oñate Universitat Politecnica de Catalunya, Spain
- K Onishi Ibaraki University, Japan
- PH Oosthuizen Queens University, Canada
- E L Ortiz Imperial College London, UK
- E Outa Waseda University, Japan
- A S Papageorgiou Rensselaer Polytechnic Institute, USA
- J Park Seoul National University, Korea
- G Passerini Universita delle Marche, Italy
- F Patania University of Catania, Italy
- B C Patten University of Georgia, USA
- **G** Pelosi University of Florence, Italy
- G G Penelis Aristotle University of Thessaloniki, Greece
- W Perrie Bedford Institute of Oceanography, Canada
- R Pietrabissa Politecnico di Milano, Italy
- H Pina Instituto Superior Tecnico, Portugal
- M F Platzer Naval Postgraduate School, USA
- D Poljak University of Split, Croatia
- V Popov Wessex Institute of Technology, UK
- **H Power** University of Nottingham, UK
- **D Prandle** Proudman Oceanographic Laboratory, UK
- M Predeleanu University Paris VI, France
- I S Putra Institute of Technology Bandung, Indonesia
- Y A Pykh Russian Academy of Sciences, Russia

- F Rachidi EMC Group, Switzerland
- M Rahman Dalhousie University, Canada
- K R Rajagopal Texas A & M University, USA
- T Rang Tallinn Technical University, Estonia
- J Rao Case Western Reserve University, USA
- J Ravnik University of Maribor, Slovenia
- A M Reinhorn State University of New York at Buffalo, USA
- G Reniers Universiteit Antwerpen, Belgium
- A D Rey McGill University, Canada
- **D N Riahi** University of Illinois at Urbana-Champaign, USA
- **B Ribas** Spanish National Centre for Environmental Health, Spain
- K Richter Graz University of Technology, Austria
- S Rinaldi Politecnico di Milano, Italy
- F Robuste Universitat Politecnica de Catalunya, Spain
- J Roddick Flinders University, Australia
- A C Rodrigues Universidade Nova de Lisboa, Portugal
- F Rodrigues Poly Institute of Porto, Portugal
- C W Roeder University of Washington, USA
- J M Roesset Texas A & M University, USA
- W Roetzel Universitaet der Bundeswehr Hamburg, Germany
- V Roje University of Split, Croatia
- R Rosset Laboratoire d'Aerologie, France
- J L Rubio Centro de Investigaciones sobre Desertificacion, Spain
- T J Rudolphi Iowa State University, USA
- S Russenchuck Magnet Group, Switzerland
- H Ryssel Fraunhofer Institut Integrierte Schaltungen, Germany
- S G Saad American University in Cairo, Egypt
- M Saiidi University of Nevada-Reno, USA
- **R San Jose** Technical University of Madrid, Spain
- F J Sanchez-Sesma Instituto Mexicano del Petroleo, Mexico
- B Sarler Nova Gorica Polytechnic, Slovenia
- S A Savidis Technische Universitat Berlin, Germany
- A Savini Universita de Pavia, Italy
- G Schmid Ruhr-Universitat Bochum, Germany
- R Schmidt RWTH Aachen, Germany
- B Scholtes Universitaet of Kassel, Germany
- W Schreiber University of Alabama, USA

- A P S Selvadurai McGill University, Canada
- J J Sendra University of Seville, Spain
- J J Sharp Memorial University of Newfoundland, Canada
- Q Shen Massachusetts Institute of Technology, USA
- X Shixiong Fudan University, China
- G C Sih Lehigh University, USA
- L C Simoes University of Coimbra, Portugal
- A C Singhal Arizona State University, USA
- P Skerget University of Maribor, Slovenia
- J Sladek Slovak Academy of Sciences, Slovakia
- V Sladek Slovak Academy of Sciences, Slovakia
- A C M Sousa University of New Brunswick, Canada
- H Sozer Illinois Institute of Technology, USA
- D B Spalding CHAM, UK
- PD Spanos Rice University, USA
- T Speck Albert-Ludwigs-Universitaet Freiburg, Germany
- C C Spyrakos National Technical University of Athens, Greece
- I V Stangeeva St Petersburg University, Russia
- J Stasiek Technical University of Gdansk, Poland
- G E Swaters University of Alberta, Canada
- S Syngellakis University of Southampton, UK
- J Szmyd University of Mining and Metallurgy, Poland
- S T Tadano Hokkaido University, Japan
- H Takemiya Okayama University, Japan
- I Takewaki Kyoto University, Japan
- C-L Tan Carleton University, Canada
- E Taniguchi Kyoto University, Japan
- **S Tanimura** Aichi University of Technology, Japan
- J L Tassoulas University of Texas at Austin, USA
- M A P Taylor University of South Australia, Australia
- A Terranova Politecnico di Milano, Italy
- A G Tijhuis Technische Universiteit Eindhoven, Netherlands
- T Tirabassi Institute FISBAT-CNR, Italy
- S Tkachenko Otto-von-Guericke-University, Germany
- N Tosaka Nihon University, Japan

- T Tran-Cong University of Southern Queensland, Australia
- **R Tremblay** Ecole Polytechnique, Canada

I Tsukrov University of New Hampshire, USA

- **R Turra** CINECA Interuniversity Computing Centre, Italy
- S G Tushinski Moscow State University, Russia
- J-L Uso Universitat Jaume I, Spain
- E Van den Bulck Katholieke Universiteit Leuven, Belgium
- D Van den Poel Ghent University, Belgium
- R van der Heijden Radboud University, Netherlands
- **R van Duin** Delft University of Technology, Netherlands
- P Vas University of Aberdeen, UK
- R Verhoeven Ghent University, Belgium
- A Viguri Universitat Jaume I, Spain
- Y Villacampa Esteve Universidad de Alicante, Spain
- FFV Vincent University of Bath, UK
- S Walker Imperial College, UK
- G Walters University of Exeter, UK
- B Weiss University of Vienna, Austria

- H Westphal University of Magdeburg, Germany
- J R Whiteman Brunel University, UK
- T W Wu University of Kentucky, USA
- Z-Y Yan Peking University, China
- **S Yanniotis** Agricultural University of Athens, Greece
- A Yeh University of Hong Kong, China
- **B W Yeigh** SUNY Institute of Technology, USA
- J Yoon Old Dominion University, USA
- K Yoshizato Hiroshima University, Japan
- T X Yu Hong Kong University of Science & Technology, Hong Kong
- M Zador Technical University of Budapest, Hungary
- K Zakrzewski Politechnika Lodzka, Poland
- M Zamir University of Western Ontario, Canada
- **R** Zarnic University of Ljubljana, Slovenia
- G Zharkova Institute of Theoretical and Applied Mechanics, Russia
- N Zhong Maebashi Institute of Technology, Japan
- H G Zimmermann Siemens AG, Germany

## Urban Transport XVIII

## Urban Transport and the Environment in the 21st Century

Editors

**J.W.S. Longhurst** University of the West of England, UK

**C.A. Brebbia** Wessex Institute of Technology, UK



#### **Editors:**

J.W.S. Longhurst University of the West of England, UK

**C.A. Brebbia** *Wessex Institute of Technology, UK* 

Published by

#### WIT Press

Ashurst Lodge, Ashurst, Southampton, SO40 7AA, UK Tel: 44 (0) 238 029 3223; Fax: 44 (0) 238 029 2853 E-Mail: witpress@witpress.com http://www.witpress.com

For USA, Canada and Mexico

#### **Computational Mechanics Inc**

25 Bridge Street, Billerica, MA 01821, USA Tel: 978 667 5841; Fax: 978 667 7582 E-Mail: infousa@witpress.com http://www.witpress.com

British Library Cataloguing-in-Publication Data

A Catalogue record for this book is available from the British Library

ISBN: 978-1-84564-580-9 eISBN: 978-1-84564-581-6 ISSN: 1746-4498 (print) ISSN: 1743-3509 (on-line)

> The texts of the papers in this volume were set individually by the authors or under their supervision. Only minor corrections to the text may have been carried out by the publisher.

No responsibility is assumed by the Publisher, the Editors and Authors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. The Publisher does not necessarily endorse the ideas held, or views expressed by the Editors or Authors of the material contained in its publications.

© WIT Press 2012

Printed in Great Britain by Lightning Source, UK.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the Publisher.

### Preface

This book contains selected peer reviewed papers presented at the 18th International Conference on Urban Transport and the Environment held at A Coruña, Spain in May 2012.

Transportation in urban areas, with its related environmental and social impacts, is a topic of significant concern for policymakers in both municipal and central government and for the urban citizens who require effective and efficient transport systems.

Urban transport systems require considerable studies to devise and then safeguard their operational use, maintenance and operational safety. Transportation systems produce significant environmental impacts and can enhance or degrade the quality of life in urban centres. The research goal to which this Conference contributes is to devise and implement transportation systems that contribute to a sustainable urban environment through minimising the negative environmental impacts whilst improving the socioeconomic and cultural development of the urban environment.

The depth and breadth of topics covered by this Conference allows for robust academic analysis of the complex interactions of urban transport and the environment and provides opportunities for establishing practical action strategies for resolving urban transportation problems. A distinctive element of the Urban Transport and the Environment series is the interaction between academic and practical perspectives where theories and ideas are debated and their practical applications rigorously tested. Clearly the challenge of providing effective and efficient transport systems in urban settings remains an acute challenge with financial, political and environmental constraints limiting the ability of transport system planners and operators to deliver the high quality outcomes expected by the public.

This international conference on Urban Transport and the Environment has reached its 18th meeting and has successfully established itself as an important annual event in the urban transport world. It has always attracted a distinguished international audience and provided opportunities for academic and practice discourse. The conference series started in Southampton in 1995; continuing in Barcelona (1996); Acquasparta, Italy (1997); Lisbon (1998); Rhodes (1999); Cambridge, UK (2000); Lemnos, Greece (2001); Seville (2002); Crete (2003); Dresden (2004); the Algarve (2005); WIT campus in the New Forest (2006); Coimbra, Portugal (2007); Malta (2008); Bologna (2009); Cyprus (2010) and Pisa (2011). The importance of these meetings is reflected in the papers published in the corresponding volumes of the series of Transactions of Wessex Institute, which are archived in the e-Library of the Institute at library.witpress.com, where they are permanently and easily available to the international community.

This conference book corresponding to the 18th meeting in the series, continues in the tradition of the preceding 17 volumes by presenting papers covering a wide range of contemporary concerns and issues within the sphere of urban transport and the environment. Topics covered include

- Environmental impact
- Environmentally friendly transport modes
- Transport strategies
- Public transport systems
- Transport modelling and simulation
- Urban transport management
- Transport safety and security
- Infrastructure
- Land use and transport integration

The Editors are grateful to all contributors for their excellent papers and to the members of the International Scientific Advisory Committee and other colleagues for their peer review services.

The Editors A Coruña, Spain, 2012

The conference will reconvene for the 19th meeting of the Urban Transport and the Environment series on the island of Kos from 29th to 31st May, 2013.

### Contents

#### Section 1: Environmental impact

Modelling of tree-induced effects on pedestrian exposure to	
road traffic pollution	
C. Borrego, J. Valente, J. H. Amorim, V. Rodrigues,	-
P. Cascão & A. I. Miranda	3
Environmental assessment of different vehicle technologies and fuels	
FS. Boureima, M. Messagie, N. Sergeant, J. Matheys, J. Van Mierlo,	
M. De Vos, B. De Caevel, L. Turcksin & C. Macharis	15
Validation of the well-to-wheel approach in the Ecoscore methodology	
with life cycle assessment for passenger cars	
N. Sergeant, M. Messagie, FS. Boureima, JM. Timmermans,	
L. Turcksin, C. Macharis & J. Van Mierlo	27
Environmental breakeven point: an introduction into	
environmental optimization for passenger car replacement schemes	
M. Messagie, FS. Boureima, N. Sergeant, JM. Timmermans,	
C. Macharis & J. Van Mierlo	39
Biofuels for urban transport: Brazilian potential and implications for	
sustainable development	<b>F</b> 1
M. D. Berni, S. V. Bajay & P. C. Manduca	51
Quantification of tire and read waar particles in the anvironment	
Quantification of tire and road wear particles in the environment	
J. M. Panko, J. A. Chu, M. L. Kreider, B. L. McAtee	50
& K. M. Unice	39
Improving solaty and sustainability of urban transport surfaces through the	
Improving safety and sustainability of urban transport surfaces through the	
recycling of reclaimed extinguishing powders	71
F. G. Praticò & D. Tramontana	/ I

#### Section 2: Environmentally friendly transport modes

Comparison of greenhouse gas emissions from different vehicles covering the entire life cycle
J. Perez, J. Lumbreras, J. M. López, J. A. Garcia, M. Vedrenne, J. M. de Andrés & D. Paz
Toward zero carbon with environmentally friendly transport modes E. Ö. Aktuğlu Aktan
Section 3: Transport strategies
Decalogue for sustainable urban transport strategy J. Malasek & A. Jaździk-Osmólska
The influence of the European CiViTAS ELAN project on development of a better and sustainable public transport in the City of Zagreb <i>D. Baric, L. Novacko &amp; H. Pilko</i>
Transportation proposal for sustainable development integrated with the corridor of the Nile Valley in Egypt <i>H. El Shimy</i>
Evaluation of railway surrounding areas: the case of Ostrava city I. Ivan, T. Boruta & J. Horák
Towards a post-fossil urban transport system: an actor-oriented approach <i>H. Hüging &amp; S. Böhler-Baedeker</i>
Harm minimisation in a school zone: a strategy for sustaining pedestrian safety <i>Z. Ebrahim &amp; H. Nikraz.</i>
Indicators for sustainable pedestrian mobility S. Amoroso, F. Castelluccio & L. Maritano
How to reconcile operator and manufacturer risk control points of view during the construction of a transport system <i>A. Cointet &amp; C. Laval.</i>

#### Section 4: Public transport systems

Analysis of the interaction between travel demand and rail capacity constraints
L. D'Acierno, M. Gallo, B. Montella & A. Placido
The need of improvement of transport conditions in large Romanian cities V. Rădulescu, I. Străinescu, L. Moroianu, C. Goia, E. Tudor, F. Bozaș, V. Lupu, B. Rădulescu & M. Tănase
A methodology to improve a public transport system G. Salvo, L. Caruso & N. Santoro
Challenges for integrating bicycles and public transport in Brazilian metropolitan regions <i>M. S. G. Tobias, M. L. A. Maia &amp; I. M. D. Pinto</i>
An efficient cost analysis of monorail in the Middle East using statistics of existing monorail and metro models A. Ghafooripour, O. Ogwuda & S. Rezaei
Rapid transit service in the unique context of Holy Makkah: assessing the first year of operation during the 2010 pilgrimage season <i>I. Kaysi, M. Sayour, B. Alshalalfah &amp; A. Gutub</i>
Medium-capacity transit systems: some reflections about making the right choice <i>M. Novales, A. Orro, E. Conles &amp; J. Anta</i>
Improving performance of public transit buses by minimizing driver distraction <i>K. A. D'Souza &amp; S. K. Maheshwari</i>
A duty-block network approach for an integrated driver rostering problem in public bus transport <i>L. Xie &amp; L. Suhl.</i>

#### Section 5: Transport modelling and simulation

Estimation of gap acceptance parameters for HCM 2010 roundabout	
capacity model applications	
A. Gazzarri, M. T. Martello, A. Pratelli & R. R. Souleyrette	309
Simulation of impacts of yards on flow conditions using a mesoscopic	
traffic assignment approach	
M. Di Gangi, A. Croce & V. Velardi	321

Estimating the effects of access time windows in the management of urban delivery fleets
R. Grosso, J. Muñuzuri, M. Rodríguez Palero & P. Aparicio
Access optimization in an urban area: a case study N. Filip, M. Moldovan & C. Golgot
A fuzzy logic approach to modelling the passengers' flow and dwelling time A. Berbey, R. Galan, J. D. Sanz Bobi & R. Caballero
A. Derbey, R. Gaun, J. D. Sanz Boor & R. Cabanero
Modelling a vehicle's speed fluctuation with a cellular automata model <i>J. Zheng, K. Suzuki &amp; M. Fujita</i>
Transport and traffic management by micro simulation models: operational use and performance of roundabouts <i>F. G. Praticò, R. Vaiana &amp; V. Gallelli</i>
Urban transport scenario test design with modelling works Y. Chen & J. Yao
Tunnel lighting design: 3D modeling reduces whole of life cost <i>R. A. Morrison</i> 407
Section 6: Urban transport management
Urban car sharing: an overview of relocation strategies <i>E. M. Cepolina &amp; A. Farina</i>
Analysis of possible risks in introducing congestion charging and carpooling measures in Zagreb <i>M. Slavulj, I. Grgurević &amp; J. Golubić</i>
Tehran traffic congestion charging management: a success story H. Behruz, A. Safaie & A. P. Chavoshy
11. Deniruz, A. Sujure & A. F. Chuvoshy

Urban freight transport initiatives – knowing when it is worth the cost	
J. Holmgren	. 481

Implementation and management of private traffic limitation inurban areas: experiences and methodologiesM. E. Lopez Lambas & S. Ricci493
Parking inventory management: a logistics perspective in urban traffic congestion mitigation V. Fiorillo & R. Secchi
Demographics do matter: an analysis of people's travel behaviour of different ethnic groups in Auckland A. Syam, A. Khan & D. Reeves
Exploring the use of the saw and seal method for mitigation of reflective cracking in composite pavements <i>S. A. Arhin, E. C. Noel, D. Wright, W. Khan &amp; V. Hong</i>
Section 7: Transport safety and security
Online monitoring of essential components helps urban transport management and increases the safety of rail transport <i>A. Daadbin, J. Rosinski &amp; D. Smurthwaite</i>
Complex system understanding back to basics! The functional analysis tracking a railway system case A. Cointet & C. Laval
Only-Bus System for intercity mass transit to reduce several numerous road traffic accidents P. E. Faye, H. Azuma & I. Yoshida
The relationship between urban accidents, traffic and geometric design in Tehran S. Aftabi Hossein & M. Arabani
Section 8: Infrastructure
Analysis of traffic canacity and design for the reconstruction of a large

Analysis of traffic capacity and design for the reconstruction of a large	
roundabout in the city of Zagreb	
I. Legac, H. Pilko & D. Brčić	591
Comparisons of robustness measures as a communicative means for	
involvement of decision makers	
A. V. Jensen	603

Re-evaluating superelevation in relation to drainage requirements and vehicle dynamics	
D. B. Chaithoo & D. Allopi61	5
Review of sub-Saharan African gravel roads management system: Tanzanian case study <i>R. R. Mwaipungu &amp; D. Allopi</i>	9
Geotechnical consideration regarding the routing of twin railway tunnels across the Karoun River	
B. Esmaeili, A. A. Safikhani & A. A. Amiri Samani	1
Certain considerations in the alignment design of urban railways B. Kufver & G. Hallert	9
Effect of cement coated aggregates on the creep and deformation characteristics of asphaltic concrete bituminous mixtures <i>I. Kamaruddin, Darmawan &amp; M. Napiah</i>	1
Improving infrastructure sustainability in suburban and urban areas: is porous asphalt the right answer? and how? F. G. Praticò & R. Vaiana	
Effect analysis on heavy tuned mass damper system used in urban transportation L. Li, C. Geng & Q. Yu	5

#### Section 9: Land use and transport integration

Integration of transport networks based in spatial data management: a methodological essay on the metropolitan area of Porto <i>A. Costa, E. Pacheco &amp; P. Trocado</i>	. 699
Multi-modal transit hubs: enhancing sustainability through joint highway development	
A. L. Savvides	709
A design framework for measuring transit oriented development Y. J. Singh, M. H. P. Zuidgeest, J. Flacke & M. F. A. M. van Maarseveen	.719
Author index	.731

### Analysis of traffic capacity and design for the reconstruction of a large roundabout in the city of Zagreb

I. Legac, H. Pilko & D. Brčić

Faculty of Transport and Traffic Sciences, University of Zagreb, Croatia

#### Abstract

The paper deals with the issues regarding the need for the reconstruction of a large three-lane roundabout with the reached AADT traffic of over 90,000 [veh./day] and intense tram traffic at the level below the road surface. Since the existing roundabout dates back to 1985, the design solution with tangential merging of three-lane approaches provides an additional cause and reason for reduced capacity and safety component of the entire intersection. In the new urban, and commercial and spatial surrounding, with the help of radical reconstruction it is necessary to achieve a modern design solution, for which purpose extensive interdisciplinary research was conducted. Common multi-disciplinary methods and criteria are presented in six proposed design solutions, with particular focus on the capacitive-safety and design elements and their interrelations.

*Keywords: large three-lane roundabout, reconstruction, capacity-safety-design, multi-disciplinary analysis, investment decision.* 

#### 1 Introduction

The paper presents the reconstruction analysis of the Jadranska Avenue and Dubrovnik Avenue for the purpose of which three conceptual solutions have been used (N. Šubić, AKING/GF and M. Vukušić). The objective of the performed analyses is to find the optimal traffic, urban, and technical solution, using multi-criteria procedures and decision-making. The reasons for the design are presented as well as the current traffic condition on the location of this roundabout, and all the problems regarding the capacity and safety of traffic. The presented data and the description of the traffic and safety problems show the



reasons why the municipal administration wants to bring the roundabout into the condition of sufficient capacity and safety of traffic participants. The evaluation of the proposed/variant solutions should be carried out according to one of the advanced and generally acknowledged methods. For the multi-criteria decision-making the so-called AHP (Analytic Hierarchy Process) method has been selected because the concrete case refers to a large number of criteria and decision-makers. The solving of complex decision-making problems using this method is based on a number of smaller and soluble rankings per component criteria (objective – criteria – alternatives). In the solving of the multi-criteria analysis the Expert Choice software package will be used.

#### 2 Current state

The Jadranska Avenue – Remetinečka Avenue – Avenue Dubrovnik – Jadranski Bridge roundabout is located at the south-western entry into the city of Zagreb, opened to traffic on 9 September 1985. Before reconstruction it was designed as a signalized at-grade intersection, with grade-separated pedestrian traffic and with no tram traffic. Fast urbanisation, insufficient number of bridges spanning the Sava river, and increased traffic load of the south-western entry into the city influenced the increased traffic load of the traffic network. With the aim of increasing the traffic safety, increasing the capacity and introducing the tram traffic to the traffic junction, a roundabout was constructed as the most suitable solution at the upper level, and a passage for the pedestrians (pedestrian paths) and trams with relief tracks at the lower level.

#### 2.1 Design and traffic flows

The respective traffic complex has the form of a big intersection with a circular flow with four approaches: Jadranska Avenue, Avenue Dubrovnik, Jadranski Bridge and Remetinečka Road (Figure 1). The intersection is located in the




Figure 1: Roundabout Jadranska Avenue – Avenue Dubrovnik; a) disposition in urban network; b) photo viewed from the south-east [1, 2].



flatland without any major limitations, whereas the approach routes are at longitudinal gradients of 1% to 3%. The external diameter of the roundabout  $(D_v)$  is 148 metres, whereas the internal diameter  $(D_u)$  is 124 metres. The carriageway is divided into three lanes each four metres wide, and the approaches are designed with three lanes, but 3.5 metres wide. The approaches merge into the roundabout with a radius (R) of 80 metres except for the northern approach, which merges with a radius (R) of 200 metres. The circular carriageway has a gradient of about 2% towards the centre because of the rainfall drainage [1–3].





Figure 2: Layout design elements of the current intersection [2].

In order to present the traffic load of the intersection, the latest measurable data collected on 24 October 2008 (Table 1) were used. The traffic load of the intersection amounted to  $Q_k = 99,023$  [veh/day] registering a more pronounced load on all the approaches except on approach 2 [4].

Table 1:	AADT at Jadranska avenue -	– avenue Dubrovnik roundabout [4].
----------	----------------------------	------------------------------------

AADT – 24.10.2008.								
APPROACH	Movement of vehicles							
AFFROACH	Right	Straight	Left	Σ				
1. Jadranska Avenue	11	11,060	12,817	23,888				
2. Remetinečka Road	3,928	7,126	20	11,074				
3. Avenue Dubrovnik	24,647	8,344	1,513	34,504				
4. Jadranski Bridge	12,975	4,575	12,007	29,557				
			TOTAL	99,023				



#### 2.2 Traffic safety

The analysis and the checking of the level of traffic safety was performed on the basis of the video recording, and on the analysis of the approach speeds, visibility and equipment of the intersection, and the results of this research have been published in the earlier communications [1-3, 5]. However, because of the purpose and the objective of this work, the collision diagram has been presented (Figure 3), and the official data of the traffic police for the period from 2001 to 2010 have been processed and analysed [6]. Table 2 shows the total number of accidents per years of occurrence, per number and types of accidents, and per number of the injured per years and types of accidents. The observed period shows that the most usual types of accidents are:

- rear-end collisions accounting for as many as 1,185 accidents, or 60.46% out of the total number of accidents in which 111 persons were injured or 59.04% of the total number of the injured;

- failure to yield at entry (entering-circulating) accounting for 506 incidents or 25.82%, with 39 injured or 20.75% of the total number of the injured.




Figure 3: Diagram of collisions in the roundabout [1].

Other types of incidents have caused only 41 or 2.0% of accidents, in which 12 persons were injured or 6.38% of the total number of the accidents.



NUMBER OF ACCIDENTS ACCORDING TO TYPE OF ACCIDENT									
Year	Number of accident	2. Failure to yield at entry	3. Weaving in circulatory roadway	4. Rear-end collision	6. Driving in wrong direction	7. Skidding of the circulatory roadway			
2001	349	49	26	269	0	5			
2002	313	52	20	234	0	7			
2003	354	106	26	206	0	10			
2004	248	37	24	179	0	5			
2005	136	48	12	67	0	6			
2006	129	48	15	57	0	4			
2007	124	46	11	58	0	4			
2008	104	28	20	46	0	3			
2009	119	49	13	44	4	2			
2010	84	43	8	25	2	1			
Sum	1960	506	175	1185	6	47			
Perce	ntage [%]	25.8	8.9	60.4	0.3	2.3			
NUMBER OF INJURED ACCORDING TO THE TYPES OF ACCIDENT									
Year	Number of accident	2. Failure to yield at entry	3. Weaving in circulatory roadway	4. Rear-end collision	6. Driving in wrong direction	7. Skidding of the circulatory roadway			
2001	26	4	0	20	0	2			
2002	11	3	0	6	0	0			
2003	29	6	2	15	0	5			
2004	18	4	1	11	1	1			
2005	13	2	1	5	0	3			
2006	22	2	0	17	0	2			
2007	19	3	0	11	0	2			
2008	14	2	0	11	0	0			
2009	23	6	1	12	1	1			
2010	13	7	2	3	0	1			
Sum	188	39	7	111	2	17			

Table 2:Number of accidents and injured according to the types of traffic<br/>accident [6].



#### **3** Reconstruction proposal

#### 3.1 Variant 1/Nikola Šubić [7]

Nikola Šubić, working on his Diploma Thesis in 2006 proposed a solution for the reconstruction of the respective roundabout. The proposal consists of two steps (RI, RII) which have the purpose of improving the safety by eliminating the external lane in the circular carriageway, by verticalisation of all approaches and by segregating of the right-turners from every approach, and to increase the roundabout capacity by constructing an overpass from the East-West direction and vice versa. Step RI – spatial and traffic improvement of the current condition in the sense of: approach verticalisation, channelling of vehicles, elimination of the external lane (two lanes in the circular carriageway to reduce the conflicting situations and because of the usage level of the internal marginal lane). This is to achieve spatial – time distances between approaches, adding one more lane for right turns because of increased traffic intensity of right-turners at approaches East 3 and North 4. Step RII – follow-up of step RI regarding the construction of the overpass in the East-West and West-East direction, with grade difference from the current condition in the inter-phase by 5.50 [m] and the length of approach ramps of 180-200 [m] to overcome the climb of 4% and extension regarding widening of the approaches West |1| and East |3| due to the construction of the overpass (Figure 4) [7].





Figure 4: Layout of *Variant 1* according to [7].

#### 3.2 Variant 2 – 5/Faculty of Civil Engineering and AKING [4]

The Faculty of Civil Engineering, University of Zagreb and the business association AKING d.o.o. made in 2008 a study for the reconstruction proposal of the intersection Jadranska Avenue and Avenue Dubrovnik. For the realisation



of the project four variants of the conceptual solutions were developed. The variant solutions are briefly described here:

- *Variant 2* traffic flows West East are guided over viaducts at +2 level
- Variant 3 traffic flows West East are guided through tunnels at -1 level
- *Varjant 4* traffic flow West North is guided over viaduct at +2 level, traffic flow North East is guided through the tunnels at -1 level
- *Variant 5* traffic flow North East is guided through tunnel at -1 level [4].

Based on the analysis of the financial aspects of construction, space occupancy and capacity increase, as optimal solution *Variant 3* (Figure 5) was selected [4]. Apart from the construction of a tunnel at the level -1 *Variant 3* proposes the keeping of three lanes in the circular carriageway, introducing traffic lights at the basic roundabout, and on all approaches the tangential segregation of the right turners that has already been achieved by the installation of grade separators in 2001 [4].




Figure 5: Layout of *Variant 3* from the study of solution selection [4].

#### 3.3 Variant 6/Matko Vukušić [8]

Working on his Final Thesis in 2011 Matko Vukušić proposed a solution for the reconstruction of the respective intersection (Figure 6). The proposal consists of Phase I and Phase II. In Phase I of the reconstruction the approaches are



verticalised, right turners are channelled at all approaches except for the approach Jadranska Avenue, the northern and southern carriageways of Jadranska Avenue are spaced out, and the number of lanes on its southern part is reduced (from three to two), in order to prepare it for the digging of the tunnel in the next phase. The approaches to the roundabout are designed with radius R =20 [m] to enable merging of the cargo vehicles. Furthermore, the number of traffic lanes in the roundabout is reduced in order to increase the traffic flow safety in the roundabout. The right turners are physically segregated at all approaches except the western one 1, and because of the increased intensity one traffic lane each is added to the northern 4 and eastern 3 approach. The second phase of reconstruction consists of the construction of two tunnel pipes in the East-West and West-East direction (Jadranska Avenue - Avenue Dubrovnik), and the construction of the overpass from the North towards the East (Jadranski Bridge - Avenue Dubrovnik). The length of the ramps for descending (entry) into the tunnels and climbing (exit) from the tunnels is about 150 metres with a decline of 4%. The tunnels are located at 5.5 metres below the level of the trams that pass below the roundabout. The overpass is constructed from the approaching and exiting ramps with a gradient of 4% that are about 150 metres long and a horizontal section which is elevated 5.5 metres above the roundabout carriageway. For easier merging of the vehicle from the overpass from the North. those from the tunnel from the West, and the segregated right turners from the South to the Avenue Dubrovnik the eastern exit from the roundabout, which is not required any more, is closed [8].




Figure 6: Layout of *Variant 6* according to [8].



## 4 Results of multi-criteria evaluation and selection of the optimal solution

The AHP (Analytic Hierarchy Process) method was selected for multi-criteria decision-making because in the concrete case a larger number of criteria and decision-makers is considered. The basic elements of the hierarchical structure in case of AHP model are the function of objective, alternatives (variants), criteria and subcriteria [9, 10]. The hierarchical structure of the multi-criteria analysis model in the function of project selection is presented schematically in Figure 7. The result of applying the multi-criteria analysis is the determination of the best variant for the reconstruction of the Jadranska Avenue and Avenue Dubrovnik. Since the function of objective, alternatives and criteria have already been defined, the procedure of determining the best variant means:

- defining of relative importance of criteria in relation to the research objective, i.e. criteria ranking (comparison of relative importance of criteria regarding all criteria pairs (Saaty scale), calculation of the criteria weights),
- ranking of certain variants/alternatives regarding a single criterion, i.e. calculation of the values of alternatives according to criteria,
- calculation of the total priority for each variant/alternative, selection of the best variant/alternative [9].





Figure 7: Schematic presentation of the hierarchic structure of the multicriteria analysis model [11].

In solving the subject of multi-criteria analysis the software package Expert Choice presented in Figure 8 was used. Since the role of measures/criteria is to describe the alternatives in such a way that it is possible for two alternatives to clearly determine which is more suitable regarding the considered criterion, the following criteria and subcriteria have been selected (Figure 9):

- Technical features: level of complexity of the facilities on the route, level of complexity of the route design;
- Ecology: noise, land occupancy, spatial and urban planning influence;
- Economic criterion: construction cost, land purchase;
- Reconstruction of the existing facilities [11].






Figure 8: Presentation of alternatives, criteria, and subcriteria using expert choice software package [11].





Figure 9: Criteria in relation to the function of objective.

In determining the weights of the criteria more complex methods have been developed, and also the assessments of the decision-makers are important, regarding the knowledge about the problems and the experience.

By applying the AHP method and the simulation in software package Expert Choice with the aim of selecting the optimal reconstruction variant of the Jadranska Avenue and Avenue Dubrovnik intersection the result has been obtained according to which the best variant is *Variant 3* (weight 0.231) Figure 10.






Figure 10: Presentation of the obtained results for the selection of variants using Expert Choice [11].

#### 5 Conclusion

Multiple checks of the traffic serviceability of a big roundabout at the periphery of the City of Zagreb confirm that its radical reconstruction is necessary in the near future. For this purpose several analyses of the traffic flows have been carried out, with special emphasis on the traffic capacity and safety components, and on their corrections with the design specifics of the intersection.

Consequently to the performed traffic and urban planning analyses certain solutions of the roundabout reconstruction have been developed. For objective selection of the optimal solution multi-criteria decision-making was carried out using AHP (Analytic Hierarchy Process) method. In solving the multi-criteria analysis procedure the software package Expert Choice was used with precisely defined criteria and subcriteria. By using the AHP method and simulation in the software package Expert Choice the obtained result showed that the most suitable is *Variant 3* for the reconstruction of the Jadranska Avenue – Avenue Dubrovnik roundabout in Zagreb. It should be noted that for the final analyses and the selection of the optimal solution the objective weights/ponders of the basic criteria should be objectivised and the equality of the processing of the considered versions of reconstructing the respective intersection should be insured.

#### References

[1] Korelacija oblikovnosti i sigurnosti u raskrižjima s kružnim tokom prometa (leader I. Legac), Faculty of Transport and Traffic Sciences, Zagreb, 2008-2011.



- [2] Legac, I., Pilko, H., Šubić, N., Analysis of traffic safety on roundabout Jadranska Avenue – Avenue Dubrovnik in Zagreb. *Conference proceedings Transport, Maritime and Logistics Science, 14th ICTS 2011*, Portorož, Slovenia, p. 11, 27 May, 2011.
- [3] Prometna analiza i unapređenje sigurnosti i protočnosti raskrižja s kružnim tokom prometa, studija (leader I. Legac), Faculty of Transport and Traffic Sciences, Zagreb, pp. 28–136, October 2009.
- [4] Faculty of Civil Engineering and AKING d.o.o., *Rekonstrukcija raskrižja Jadranske i Dubrovačke avenije Studija izbora rješenja*, Faculty of Civil Engineering and AKING d.o.o., Zagreb, pp. 1–13, 2008.
- [5] Legac, I., Pilko, H., Šubić, N., Introduction of Roundabouts in Croatia preliminary experiences. *Proceedings on 16th IRF World Congress*, Lisboa, p. 9, 25 – 28 May, 2010.
- [6] Ministarstvo unutarnjih poslova: Analiza stanja sigurnosti u prometu na raskrižju Jadranska avenue – Jadranski Bridge – Remetinečka Road – Avenue Dubrovnik, Zagreb, 2010.
- [7] Šubić, N., Prijedlog rekonstrukcije i prijedlog sigurnosne optimizacije kružnog raskrižja Avenue Dubrovnik – Remetinečka Road u Zagrebu (mentor I. Legac), Faculty of Transport and Traffic Sciences, Zagreb, pp. 49–63, 2007.
- [8] Vukušić, M., *Prijedlog rješenja raskrižja Remetinečke ceste i Jadranske avenije u Zagrebu*, Final thesis (mentor I. Legac), Faculty of Transport and Traffic Sciences, Zagreb, pp. 46–55, 2011.
- [9] Barić, D., Čurepić, D., Radačić, Ž., Implementation of relevant methods in assessing traffic-technological projects. *Promet Traffic & Transportation*, 19(5), pp. 329-336, 2007.
- [10] Barić, D., Metode za ocjenu i izbor investicijskih projekata u prometu, Master thesis, Faculty of Transport and Traffic Sciences, Zagreb, pp. 40– 55, 75–85, 107–115, 2006.
- [11] Sever, K., *Prijedlog rekonstrukcije raskrižja Jadranske avenije i Avenije Dubrovnik u Zagrebu*, Diploma paper (mentor I. Legac), Tehničko veleučilište u Zagrebu, Zagreb, pp. 72–76, February 2012.

